

DESTROYIT.

QUALITY

BUSINESS SOLUTIONS

www.copyquality.com



PAPER SHREDDERS

MBM
CORPORATION

| | |
|-------------------------------|-----------|
| Safety Protection System | 4 |
| Security Levels | 5 |
| <hr/> | |
| Deskside Shredders | 6 |
| Centralized Office Shredders | 12 |
| High Capacity Shredders | 18 |
| <hr/> | |
| Quality Made in Germany | 22 |
| Intelligent Document Security | 23 |
| <hr/> | |
| Shredders at a Glance | 24 |

SAFETY PROTECTION SYSTEM (SPS)

World renowned for their high performance and reliability, Destroyit shredders also feature the most innovative safety features.

Krug & Priester developed the SPS package to ensure Destroyit shredders meet the highest standards of safety. These features include a patented, electronically controlled transparent safety shield in the feed opening, an electronic switch that stops power to the motor when the cabinet is opened or the shred bin is full, automatic reverse and power cut-off when overfed, and double protection against overheating. The environmentally friendly zero energy consumption feature is a power saving sleep mode that activates after 30 minutes of inactivity.

The large, intelligent Easy Switch control element indicates the operational status of the shredder with illuminated color icons and back-lit symbols. It also provides an added degree of safety by functioning as an emergency stop switch.



SECURITY LEVELS

DIN 66399 is the new international standard for the destruction of data carriers. Destroyit has models available in all of the 6 levels.

SECURITY LEVEL P-2

Material particle surface $\leq 800 \text{ mm}^2$ or strip width $\leq 6 \text{ mm}$. Strip length not determined.

SECURITY LEVEL P-3

Material particle surface $\leq 320 \text{ mm}^2$ (4 x 80 mm particles, for example) or strip width $\leq 2 \text{ mm}$. Strip length not determined.

SECURITY LEVEL P-4

Material particle surface $\leq 160 \text{ mm}^2$ and for regular particles: strip width $\leq 6 \text{ mm}$ (4 x 40 mm particles, for example).

SECURITY LEVEL P-5



Material particle surface $\leq 30 \text{ mm}^2$ and for regular particles: strip width $\leq 2 \text{ mm}$ (2 x 15 mm particles, for example).

SECURITY LEVEL P-6

Material particle surface $\leq 10 \text{ mm}^2$ and for regular particles: strip width $\leq 1 \text{ mm}$ (.8 x 12 mm particles, for example).

SECURITY LEVEL P-7

Material particle surface $\leq 5 \text{ mm}^2$ and for regular particles: strip width $\leq 1 \text{ mm}$ (.8 x 5 mm particles, for example).



DESKSIDE SHREDDERS

Effective document security is right by your side with Destroyit Deskside model shredders. These robust machines are engineered to thrive in fast paced corporate environments. 6 models and a variety of shred sizes allow you to choose the perfect shredder for your needs.

In today's business environment, the necessity of shredding sensitive documents prior to disposal cannot be overemphasized. Equally important is having shredders that are up to the task. No company can afford to waste time and money on subpar machines that will have to be constantly repaired or replaced. When you purchase a Destroyit shredder, you are investing in a machine of superior quality that will provide many years of trouble free operation.



DESKSIDE SHREDDER FEATURES



SOLID STEEL CUTTING SHAFTS

High grade, hardened steel cutting shafts are milled in our Balingen factory and warranted for life (SMC shafts are warranted for 1 year).



PATENTED SAFETY SHIELD

Transparent safety shield keeps fingers, ties, and other objects away from the cutting shafts (electronically controlled on models 2360, 2404 and 2445 SMC).



ENVIRONMENTALLY FRIENDLY BIN

Durable, lightweight shred bins can be used with or without disposable bags (models 2360, 2404 and 2445 SMC).




QUALITY COMPONENTS

Cabinet doors are equipped with high quality adjustable metal hinges.



EASY SWITCH

Multifunction control element uses optical signals to indicate operational status and functions as an emergency stop switch (models 2360, 2445 SMC, and 2404).



LEAD-FREE SOLDERING

Only lead-free soldering is used in the production of our electrical components.



Lifetime Warranty



Made in Germany



Zero Energy



Eco Friendly



Safety Protection System






Easy Switch

- 1) Super micro-cut shafts are covered by a one-year limited warranty.
- 2) Automatic power cut-off available on models 2245, 2265, 2360, 2445 SMC, and 2404
- 3) EASY SWITCH available on models 2245, 2265, 2360, 2445 SMC, and 2404

DESTROYIT 2245

Compact, entry model Deskside shredder. Easy operation is guaranteed with the Easy Touch switch for stand-by / stop (off) / reverse.

| Specs | 2245 Strip-Cut | 2245 Cross-Cut |
|---------------------|---|---|
| Security level: | P-2 | P-4 |
| Strip width: | 3/16" (4 mm) | 1/8 x 1" (3 x 25 mm) |
| Sheet capacity: | 10 - 12* | 5 - 6* |
| Shred capabilities: |  |  |





SHREDDER BAGS
AC0907


SHREDDER OIL
ACCED21/4



DESTROYIT 2265

Deskside shredder with high quality cabinet. Convenient bin has a window that shows fill level. Easy operation is guaranteed with the Easy Touch switch for stand-by / stop (off) / reverse.

| Specs | 2265 Strip-Cut | 2265 Cross-Cut |
|---------------------|---|---|
| Security level: | P-2 | P-4 |
| Strip width: | 3/16" (4 mm) | 1/8 x 1" (3 x 25 mm) |
| Sheet capacity: | 10 - 12* | 5 - 6* |
| Shred capabilities: |  |  |









SHREDDER BAGS
AC0907


SHREDDER OIL
ACCED21/4



DESTROYIT 2270

Dual purpose shredder with a second shredding head for CDs / DVDs and separate shred bins for easy material separation and disposal.

| Specs | 2270 Strip-Cut | 2270 Cross-Cut |
|---------------------|---|---|
| Security level: | P-2 | P-4 |
| Strip width: | 3/16" [4 mm] | 1/8 x 1" (3 x 25 mm) |
| Sheet capacity: | 10 - 12* | 5 - 6* |
| Shred capabilities: |    |    |









SHREDDER BAGS
AC0907


SHREDDER OIL
ACCED21/4



DESTROYIT 2360

Versatile machine mounted on casters. Available in 3 shred sizes.

| Specs | 2360 Strip-Cut | 2360 Cross-Cut | 2360 Cross-Cut |
|---------------------|---|---|---|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 3/16" [4 mm] | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 12 - 14* | 11 - 13* | 6 - 8* |
| Shred capabilities: |   |   |   |



SHREDDER BAGS
AC0908

SHREDDER OIL
ACCED21/4




DESTROYIT 2445 SMC*

Convenient and powerful Deskside shredder with Smart Shred Control (SSC) for shredding without paper jams. A smiley face will flash if the shredder has reached its capacity limit.

| Specs | 2445 Super Micro-Cut |
|---------------------|--------------------------|
| Security level: | P-7 |
| Strip width: | 1/32 x 3/16" (.8 x 5 mm) |
| Sheet capacity: | 5 - 7* |
| Shred capabilities: | |

*This product is available in the U.S. only.



SHREDDER BAGS
AC0908


SHREDDER OIL
ACCED21/4



DESTROYIT 2404

Hard working shredder featuring a quiet and powerful 3/4 horsepower, single phase motor.

| Specs | 2404 Strip-Cut | 2404 Cross-Cut | 2404 Cross-Cut |
|---------------------|----------------|---------------------------|-------------------------|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 3/16" (4 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 19 - 22* | 13 - 15* | 9 - 11* |
| Shred capabilities: | | | |



SHREDDER BAGS
AC0908

SHREDDER OIL
ACCED21/4



RECOMMENDED BAGS & OIL FOR DESKSIDE SHREDDERS

| MODEL | SHREDDER BAGS | SHREDDER OIL |
|-------|---------------|--------------|
| 2245 | AC0907 | ACCED21/4 |
| 2265 | AC0907 | ACCED21/4 |
| 2270 | AC0907 | ACCED21/4 |
| 2360 | AC0908 | ACCED21/4 |
| 2445 | AC0908 | ACCED21/4 |
| 2404 | AC0908 | ACCED21/4 |



1



2



3

- 1) Super micro-cut shafts are covered by a one-year limited warranty.
- 2) Automatic power cut-off available on models 2245, 2265, 2360, 2445 SMC, and 2404
- 3) EASY SWITCH available on models 2245, 2265, 2360, 2445 SMC, and 2404


CENTRALIZED OFFICE SHREDDERS

When your document destruction requirements demand the perfect combination of high sheet capacity, volume and speed, look no further than the Centralized Office line. These heavy duty machines are designed to efficiently shred large amounts of material daily.

Ideally positioned in a common area and shared by a number of employees, Destroyit Centralized Office shredders combine high performance and innovative technology with industry leading safety features. Feed openings ranging from 10 1/4 to 16 inches accept a wide range of document sizes and a variety of cutting heads are available in 6 security levels. All strip- and cross-cut models will accept staples and paper clips and most will shred CDs. Generous bin sizes mean they can operate for long periods before being emptied.



CENTRALIZED OFFICE SHREDDER FEATURES



SAFE SHREDDING OF CDs / DVDs

On CD capable models, the electronically controlled shield protects the operator from stray splinters of plastic.



AUTOMATIC OIL INJECTION

On oiler-equipped models, the cutting shafts are automatically lubricated while shredding, ensuring optimal performance.



ENVIRONMENTALLY FRIENDLY BIN

Durable, lightweight shred bins can be used with or without disposable bags.



CAPACITY INDICATOR

Patented Electronic Capacity Control (ECC) indicator monitors sheet capacity levels during operation to prevent jams.



PATENTED SAFETY SHIELD

Electronically controlled transparent safety shield keeps fingers, ties, and other objects away from the cutting shafts.



EASY SWITCH

Multifunction control element uses optical signals to indicate operational status and functions as an emergency stop switch.



Lifetime
Warranty



Made in
Germany



Zero
Energy



Eco
Friendly



Safety
Protection
System



Easy
Switch










ECC


1) Super micro-cut shafts are covered by a one-year warranty.

2) ELECTRONIC CAPACITY CONTROL not available on model 2503.

DESTROYIT 2503

Compact, entry model Centralized Office shredder with a 10 1/4 inch feed opening and 20 gallon shred volume.

| Specs | 2503 Strip-Cut | 2503 Cross-Cut | 2503 Cross-Cut |
|---------------------|---|---|---|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 3/16" (4 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 19 - 21* | 12 - 14* | 8 - 10* |
| Shred capabilities: |    |   |   |












SHREDDER BAGS
AC0920


SHREDDER OIL
ACCED21/4



DESTROYIT 2604

Powerful shredder with ECC (Electronic Capacity Control) indicator and an automatic oiler on cross-cut and super micro-cut models.

| Specs | 2604 Strip-Cut | 2604 Cross-Cut | 2604 Cross-Cut | 2604 Super Micro-Cut |
|---------------------|---|---|---|--------------------------|
| Security level: | P-2 | P-4 | P-5 | P-7 |
| Strip width: | 3/16" (4 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) | 1/32 x 1/16" (.8 x 5 mm) |
| Sheet capacity: | 27 - 30* | 23 - 25* | 14 - 16* | 6 - 8* |
| Shred capabilities: |    |    |    | |











SHREDDER BAGS
AC0920


SHREDDER OIL
ACCED21/6



DESTROYIT 3104

Wide, 12 inch feed opening and a sturdy single phase motor rated for continuous operation. Shred volume is a hefty 32 gallons.

| Specs | 3104 Strip-Cut | 3104 Cross-Cut | 3104 Cross-Cut |
|---------------------|---|---|---|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 3/16" (4 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 27 - 30* | 22 - 25* | 14 - 17* |
| Shred capabilities: |    |    |   |









SHREDDER BAGS
AC0920

SHREDDER OIL
ACCED21/4




DESTROYIT 3105

Automatic oil injection ensures optimal performance at all times. High speed and sheet capacity make it ideal for high volume shredding.

| Specs | 3105 Cross-Cut | 3105 Cross-Cut |
|---------------------|---|---|
| Security level: | P-4 | P-5 |
| Strip width: | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 37 - 39* | 24 - 26* |
| Shred capabilities: |    |    |

20 amp. dedicated line required.











SHREDDER BAGS
AC0918


SHREDDER OIL
ACCED21/6



DESTROYIT 3804

Attractively priced Centralized Office shredder with ECC (Electronic Capacity Control) and a super wide, 16 inch feed opening. Shred bin holds 44 gallons.

| Specs | 3804 Strip-Cut | 3804 Cross-Cut | 3804 Cross-Cut |
|---------------------|---|---|---|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 1/4" (6 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 29 - 31* | 24 - 26* | 12 - 14* |
| Shred capabilities: |    |    |   |












SHREDDER BAGS
AC0918


SHREDDER OIL
ACCED21/4



DESTROYIT 4002

Heavy duty, 1 3/4 horsepower motor makes the 4002 a perfect fit for continuous, high volume shredding environments. Cross-cut models are equipped with an automatic oiler.

| Specs | 4002 Strip-Cut | 4002 Cross-Cut | 4002 Cross-Cut |
|---------------------|---|---|---|
| Security level: | P-2 | P-4 | P-5 |
| Strip width: | 1/4" (6 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 32 - 35* | 24 - 26* | 14 - 16* |
| Shred capabilities: |    |    |    |












SHREDDER BAGS
AC0901

SHREDDER OIL
ACCED21/6




DESTROYIT 4005

Our most powerful Centralized Office shredder comes with an automatic oiler and is available in 5 security levels including super micro-cut.

| Specs | 4005 Strip-Cut | 4005 Cross-Cut | 4005 Cross-Cut | 4005 Super Micro-Cut |
|---------------------|---|---|--|--------------------------|
| Security level: | P-2 | P-4 | P-5 | P-7 |
| Strip width: | 1/4" (6 mm) | 3/16 x 1 1/2" (4 x 40 mm) | 3/32 x 5/8" (2 x 15 mm) | 1/32 x 3/16" (.8 x 5 mm) |
| Sheet capacity: | 50 - 52* | 37 - 39* | 24 - 26* | 10 - 12* |
| Shred capabilities: |    |    |    | |

20 amp. dedicated line required.



SHREDDER BAGS
AC0918

SHREDDER OIL
ACCED21/6



RECOMMENDED BAGS & OIL FOR CENTRALIZED SHREDDERS

| MODEL | SHREDDER BAGS | SHREDDER OIL |
|-------|---------------|--------------|
| 2503 | AC0920 | ACCED21/4 |
| 2604 | AC0920 | ACCED21/6 |
| 3104 | AC0920 | ACCED21/4 |
| 3105 | AC0918 | ACCED21/6 |
| 3804 | AC0918 | ACCED21/4 |
| 4002 | AC0901 | ACCED21/6 |
| 4005 | AC0918 | ACCED21/6 |



- 1) Super micro-cut shafts are covered by a one-year warranty.
2) ELECTRONIC CAPACITY CONTROL not available on model 2503.

HIGH CAPACITY SHREDDERS

An in-house shredding program based around Destroyit High Capacity shredders is the most secure and cost effective way of disposing large quantities of sensitive documents. When you hand over documents to an outside service, you relinquish control of your data security. Shred services are also a never-ending expense which will only increase over time.

Destroyit High Capacity model shredders offer optimum solutions for super high volume data destruction. The entry level model 4605 is equipped with a handy feed hopper which allows the user to empty the contents of entire paper bins, including crumpled paper, directly into the shredder. The 4107 and 5009 have powered conveyors which facilitate the fast and efficient feeding of large quantities of documents. The 5009 has an astounding 600 plus sheet capacity and will shred hardbound documents and 3-ring binders.



HIGH CAPACITY SHREDDER FEATURES



MOBILE SHRED BIN (5009)

79 gallon shred bin is mounted on heavy duty casters for easy mobility. Shredder stops automatically when door is opened.



ROBUST CUTTING UNIT (5009)

Industrial, tempered steel cutting head will effortlessly destroy hardbound documents including full sized 3-ring binders.



CENTRALIZED OILER (5009)

Conveniently located centralized oiler provides quick and easy lubrication of the cutting shafts.



ELECTRONIC SAFETY FEATURES (4605)

Should a jam occur, the hopper can be tilted back to clear the jam. Motor power is automatically cut off during this operation.



BULK PAPER SHREDDING (4605)

Special rotating paddles are used to feed bulky materials into the cutting unit.



EASY BAG CHANGE (4107)

Pull-out bag frame is mounted on rollers, allowing easy access to shred bag.



MODULAR EXIT CONVEYOR BELT (5009)

Optional accessory greatly increases shred capacity by transporting shredded material to an external container.



FOLD-OUT FEED TABLE (4605)

The fold-out feed table is used for feeding flat paper stacks. Start and stop functions are controlled by a photo cell.



SIMPLIFIED CONTROLS (4107)

Operation is controlled by an ergonomic control panel. Optical indicators display operational status.



Lifetime
Warranty



Made in
Germany



Zero
Energy









Eco
Friendly




Safety
Protection
System

DESTROYIT 4605

Space saving High Capacity shredder with unique feed hopper for bulky material. Equipped with a conventional feed slot for flat paper stacks. The 4605 is the only High Capacity shredder with waste removal from the front facilitating the smallest High Capacity foot print.

| Specs | 4605 Cross-Cut | 4605 Cross-Cut |
|---------------------|---|---|
| Security level: | P-3 | P-5 |
| Strip width: | 3/16 x 2 3/8" (4 x 60 mm) | 3/32 x 5/8" (2 x 15 mm) |
| Sheet capacity: | 50 - 60* | 32 - 37* |
| Shred capabilities: |    |    |

Optional auto-oiler available.















SHREDDER BAGS
AC0921

SHREDDER OIL
ACCED21/G




DESTROYIT 4107

Wide feed table and powered conveyor for fast and efficient feeding. Equipped with a convenient centralized oiler.

| Specs | 4107 Strip-Cut | 4107 Strip-Cut | 4107 Strip-Cut | 4107 Cross-Cut |
|---------------------|---|---|---|---|
| Security level: | P-2 | P-2 | P-2 | P-3 |
| Strip width: | 1/2" (12 mm) | 3/8" (9 mm) | 1/4" (6 mm) | 1/4 x 2" (6 x 50 mm) |
| Sheet capacity: | 120 - 140* | 105 - 125* | 75 - 95* | 65 - 82* |
| Shred capabilities: |    |    |    |    |

Optional auto-oiler available.











SHREDDER BAGS
AC0922

SHREDDER OIL
ACCED21/G



DESTROYIT 5009

The ultimate in High Capacity data destruction. Conveyor-fed shredder features a sheet capacity of over 600 and a 79 gallon shred volume. An optional exit conveyor system increases shred capacity by transporting shredded material to an external container. Centralized oiler provides lubrication for the cutting shafts.

| Specs | 5009 Cross-Cut | 5009 Cross-Cut |
|---------------------|---|---|
| Security level: | P-2 | P-3 |
| Strip width: | 11/32 x 1 1/2 - 3" (8 x 40 - 80 mm) | 1/4 x 2" (6 x 50 mm) |
| Sheet capacity: | 600 - 700* | 300 - 400* |
| Shred capabilities: |     |     |

Optional auto-oiler available.



SHREDDER BAGS
AC0924

SHREDDER OIL
ACCED21/G



RECOMMENDED BAGS & OIL FOR HIGH CAPACITY SHREDDERS

| MODEL | SHREDDER BAGS | SHREDDER OIL |
|-------|---------------|--------------|
| 4605 | AC0921 | ACCED21/G |
| 4107 | AC0922 | ACCED21/G |
| 5009 | AC0924 | ACCED21/G |




QUALITY MADE IN GERMANY

IDEAL Krug & Priester is the parent company of MBM. For over half a century, IDEAL has manufactured environmentally sustainable products to the highest standards of quality and reliability.

Founded in Balingen, Germany in 1951, IDEAL has grown from a small family business to become the world's leading manufacturer of paper shredders with millions of customers worldwide. This success has been achieved through a passionate devotion to quality in every phase of the manufacturing process. Fully integrated production methods allow the maintenance of a quality control system unrivaled in the industry. All company areas are certified according to DIN EN ISO 9001:2008 standards.

Environmental responsibility has been an integral part of the IDEAL corporate philosophy from the beginning. Environmentally compatible production systems operate without hazardous or toxic substances and only sustainable materials are used in the production of IDEAL products. A certified environmental management system has been implemented according to DIN EN ISO 14001:2009 standards.



INTELLIGENT DOCUMENT SECURITY



Shredding documents before they leave the building is the only way to be sure they are properly destroyed. Using a shredding service is relinquishing control of your data security program—a stranger is put in possession of your sensitive materials.

Never before have more resources been invested in stealing information—and it's never been more lucrative. Having a secure computer network is a must, but having an in-house program to dispose of confidential hard copies is just as important. If you use a shredding service, documents are leaving the building intact, in the hands of strangers. The false sense of security they provide is also accompanied by a never-ending expense which will never decrease. That's why shredding at the source with Destroyit shredders should be the foundation of every document security program.

Destroyit shredders are heavy-duty, industrial-quality machines capable of disposing large quantities of material day after day, year after year, with no drop-off in performance. Milled to exacting specifications from the finest quality hardened steel, our cutting shafts are the best in the world and guaranteed for life.* With over 40 models available, there's a Destroyit to fit the most exacting requirements.

*Super micro-cut shafts are covered by a one-year limited warranty.